

Metris

Maintenance Booklet





Thank you for choosing the new Metris

We hope that you enjoy your Metris. Vehicle safety and operational reliability are two very important factors. To maintain them, regular maintenance services are necessary.

We continuously strive to improve our products and ask for your understanding that we reserve the right to make changes to the periodic maintenance work for our vehicles.

The information in this booklet is accurate at time of printing. Services planned and carried out by authorized Metris Dealers are based on the current service information for the age and mileage of your vehicle. You can obtain information on the required modifications to the scope of maintenance on your vehicle from an authorized Metris Dealer.

PLEASE NOTE

WE STRONGLY RECOMMEND THAT YOUR VEHICLE BE SERVICED AND MAINTAINED BY AN AUTHORIZED METRIS DEALER, AS THEY HAVE THE NECESSARY TOOLS TO CARRY OUT THE REQUIRED WORK USING GENUINE MERCEDES-BENZ PARTS.

EMISSION CONTROL COMPONENTS AND SYSTEMS CAN BE MAINTAINED. REPLACED. OR REPAIRED BY ANY AUTOMOBILE REPAIR WORKSHOP OR INDIVIDUAL USING CERTI-FIED PARTS.

THE USE OF DEFECTIVE OR NON-EQUIVA-LENT PARTS CAN RESULT IN YOUR EMIS-SIONS PERFORMANCE WARRANTY CLAIM BEING DENIED.

Symbols

The following symbols are used in this Maintenance Booklet:



↑ WARNING

Warning notices draw your attention to hazards that may endanger your health or life, or the health or life of others.

- Highlights hazards that may result in damage to your vehicle.
- 1 Helpful tips or other useful information.
- \triangleright This symbol informs you where you can find further information on a Page topic.
- $\triangleright \triangleright$ This continuation symbol indicates that a warning or procedure is continued on the next page.

Vehicle sales/Vehicle warranty issuer/Spare parts sales organization

Mercedes-Benz USA, LLC One Mercedes Drive Montvale, NJ 07645-0350 **Customer Assistance Center:** 1-877-762-8267

Mercedes-Benz USA, LLC is a Daimler com-

Publication details

Internet

Further information on Mercedes-Benz vehicles can be obtained on the Internet at www.mercedes-benz.com www.mbusa.com (USA only) www.mercedes-benz.ca (Canada only)

Editorial office

You are welcome to forward any queries or suggestions you may have regarding this Operator's Manual to the technical documentation team at the address on the inside of the front cover.

- © Mercedes-Benz USA, LLC
- © Mercedes-Benz Canada, Inc.

Mercedes-Benz USA, LLC and Mercedes-Benz Canada Inc. are Daimler companies. Not to be reprinted, translated, or otherwise reproduced, in whole or in part, without writ-

Printed in Germany.

ten permission.

General Introduction Qualified specialist workshops Notes on the Limited Warranty	2
Service	3
	_
Important safety notes Service interval display	3
General notes	3
Service due date display	
Service due date has been	Ü
reached or exceeded	3
ASSYST (Active Service System)	. 3
Special service requirements	. 4
Dust filter/combination filter	. 4
Maintenance work	5
Maintenance work	5
Service	
Additional work	. 6
Confirmation	8
Body manufacturer	8
Delivery inspection	10
Maintenance work/additional main-	
tenance work	11
Bodywork repair	29

Introduction

This Service Booklet is a guideline for the service of your vehicle.

To ensure the operating safety of your vehicle, the prescribed service work should be carried out on schedule and documented according to Daimler AG instructions.

If the prescribed maintenance work is not carried out and documented on schedule and according to the specifications of Daimler AG, this can lead to a loss of warranty claim entitlements after the manufacturer has performed an inspection of the parts affected.

All work relevant to safety or on safety-related systems must be carried out at a qualified specialist workshop.

Mercedes-Benz works constantly on vehicle development. Please note that, due to alterations, the scope of the maintenance work may change.

Qualified specialist workshops

A qualified specialist workshop has the necessary specialist knowledge, tools and qualifications to correctly carry out the work required on the vehicle. This is especially the case for work relevant to safety.

Observe the notes in the Service Booklet. The following work should always be carried out at qualified specialist workshop:

- · work relevant to safety
- service and maintenance work
- · repair work
- modifications as well as installations and alterations
- work on electronic components

Mercedes-Benz recommends that you use an authorized Mercedes-Benz Center.

Notes on the Limited Warranty

Warranty claims on new vehicles, the scope of which is based on the purchase agreement and the relevant general terms and conditions, can be filed with any authorized Mercedes-Benz Service Partner. Our extensive network of authorized Mercedes-Benz Centers offers you expert assistance whenever you need it. Using the latest technology, your vehicle is serviced and repaired by qualified specialists who receive regular training to update their skills and knowledge.

Please follow the instructions in this Service Booklet, even if you hand the vehicle over to a third party for use or care. This is the only way to ensure that you retain full warranty claim entitlements.

Have the specified service/maintenance work carried out as follows:

- · regularly
- punctually
- at a qualified specialist workshop

Mercedes-Benz recommends that you use an authorized Mercedes-Benz Service Partner for this purpose.

If the specified service/maintenance work is not carried out, the decision as to whether a warranty claim can be accepted or not can be made only after the manufacturer has submitted a report on the damaged part. If there are legal requirements for exhaust gas emission control, note that the engines should receive specific maintenance using specialized measuring equipment. Modifications to or tampering with exhaust gas emission control system related components is not permitted.

Confirmation that all service/maintenance work has been carried out at a qualified specialist workshop will be entered in this Service Booklet.

The maintenance service does not include repair work. Such work requires a separate order.

Important safety notes



MARNING

If you do not have the prescribed service/ maintenance work or any required repairs carried out, this can result in malfunctions or system failures. There is a risk of an accident. Always have the prescribed service/maintenance work as well as any required repairs carried out at a qualified specialist workshop.



↑ WARNING

Limbs could be crushed or trapped if the engine is started unintentionally during service or maintenance work. There is a risk of injury.

Always secure the engine against unintentional starting before carrying out maintenance or repair work.

When working on the vehicle always observe the safety regulations, for example, the Operating Instructions, regulations concerning hazardous materials, environmental protection, safety at work and accident prevention regulations.

Before carrying out maintenance work, always read the technical documentation first, for example, the Operating Instructions and workshop information.



↑ WARNING

Cloths or other flammable materials left in the engine compartment can ignite if they come into contact with the exhaust system or parts of the engine that heat up. There is a risk of fire. After carrying out maintenance work, make sure that no extraneous flammable material is left in the engine compartment or on the exhaust system.

Service interval display

General notes

A service that is due is displayed in the service interval display approximately a month or

1,800 miles in advance. A message is then displayed while the vehicle is in motion or when the ignition is switched on.

1 The service interval display does not provide information about the oil level. The service interval display should therefore not be confused with the engine oil level display.

The service due date is displayed in days or miles depending on distance traveled.

The following icon appears:



Service due date display

One of the following messages appears:

- Service A in ... days
- Service A in ... miles

Service due date has been reached or exceeded

You will see one of the following messages, for example:

- Service A due
- Service A overdue by ... days
- Service A overdue by ... miles

A qualified specialist workshop can reset the service indicator when the service has been carried out.

ASSYST (Active Service System)

On vehicles with ASSYST, you are informed when the next service is due depending on the distance covered and driving style.

The time between individual service due dates can be extended by:

- driving with care at moderate engine speeds
- · avoiding short journeys where the engine does not reach its operating temperature

Periods when the battery is disconnected will not be recorded by ASSYST. To make sure that you have the vehicle serviced at the correct time, you should therefore subtract periods when the battery is disconnected from the days shown.

You will find more information on the service interval display and ASSYST in the Operating Instructions.

Special service requirements

Dust filter/combination filter

The dust filter for the heating/ventilation, rear-compartment air-conditioning or the air-conditioning combination filter is to be renewed as part of the maintenance service. Have the filter renewed more frequently if operating in dusty conditions or if air-recirculation mode is used frequently.

Maintenance work

Service

	Service A	Service B
Check by service advisor		
Check vehicle for corrosion, accident and paint damage	•	•
Windshield checked for stone impact and damage	•	•
Test rig		
Brake test on test rig	•	•
Oil service		
Engine: oil and filter change	•	•
Service		
Check function and condition		
Indicators, indicator lamps		•
Windshield wiper, rear windshield wiper, windshield washer system		•
Seat belts, seat belt buckles, seat belt buckle extensions	•	•
Check for leakage and condition		
Observe line routing and chafing. If there is fluid loss, determine the cause and remedy it		
All major assemblies: engine, transmission, front axle, transfer case, rear axle, steering, brakes		•
All lines, hoses, sensor cables		•
All reservoirs, units, sealing bellows, shock absorbers, covers, bellows, protective caps		•
Steering mechanism: tie rod, steering rod, sealing bellows, protective caps		•
Check fluid level, adjust		
If there is fluid loss, determine the cause and remedy it (separate invoice)		
Engine cooling system: check coolant level in the coolant expansion tank		•
Hydraulic brake system		•
Windshield washer system		•

	Service /	Service E
Engine		
Check poly-V-belt in the visible area for signs of wear and damage		•
Air filter: check dirt level (replace as necessary, after 4 years at the latest, with separate invoice; observe installation date)		•
Wheels, brakes		
Tire pressure: check, correct		•
Check condition of the brake pads (replace if necessary on a separate invoice)	•	•
Assess condition of the brake disks (replace if necessary on a separate invoice)	•	•
Service indicator		
Reset the maintenance computer	•	•

4 m

Additional work

Service A (ZA)

Check that seat belts, seat belt buckles and seat belt buckle extensions in the rear are not damaged and are operating correctly

Service B (ZB)

Spare wheel: check tire pressure, correct

Lubricate the hinges on the rear door

Replace the dust filter of the heating/ventilation or the activated charcoal dust filter of the air-conditioning system (after 2 years at the latest, observe installation date)

Replace the dust filter of the rear-compartment air-conditioning system

Check that seat belts, seat belt buckles and seat belt buckle extensions in the rear are not damaged and are operating correctly

Once as part of the first Service B, subsequently every 75,000 miles (Z1)

Automatic transmission: oil and filter change

Every 45,000 miles/every 3 years (Z3)

Replace spark plugs

Every 4th Service B/every 10 years (Z4)

Rear axle: oil change

Every 4th Service B/every 15 years (Z4)

Renew coolant (observe coolant mixture ratio)

Every 150,000 miles/every 10 years (ZX)

Replacing the fuel filter

Every 2 years (J2)

Hydraulic brake system: renew brake fluid

Replace the dust filter of the heating/ventilation or the activated charcoal dust filter of the air-conditioning system (after 2 years at the latest, observe installation date)

Every 4 years (J4)

Air filter: check dirt level, replace if necessary (observe installation date)

Body manufacturer

1. Bo	dy manufacturer	
been	following work or modifications have n carried out, e.g. to the chassis, cab,	Location
	(box), or additional equipment/add- juipment has been installed:	Date
		Mileage
		Signature
quali regar ried o	vehicle has been subjected to a ty control/final inspection with of to the work/modifications carbut on the vehicle. No malfunctions fects were detected.	Orginature
Pleas	se tick:	
	All modification work has been carried out according to the Mercedes- Benz body/equipment mounting directives.	
	The certificate of endorsement was obtained from Daimler AG, at the department responsible for body/ equipment approval (see the body/ equipment mounting directives).	
	Operating and maintenance instructions for the work/modifications or assemblies installed are contained in supplements provided with the vehicle.	
		Signature/Stamp Body manufacturer

2. Body manufacturer	
The following work or modifications have been carried out, e.g. to the chassis, cab,	Location
body (box), or additional equipment/add- on equipment has been installed:	Date
	Mileage
	Signature
The vehicle has been subjected to a quality control/final inspection with regard to the work/modifications carried out on the vehicle. No malfunctions or defects were detected.	
Please tick:	
All modification work has been carried out according to the Mercedes- Benz body/equipment mounting directives.	
The certificate of endorsement was obtained from Daimler AG, at the department responsible for body/ equipment approval (see the body/ equipment mounting directives).	
Operating and maintenance instructions for the work/modifications or assemblies installed are contained in supplements provided with the vehicle.	
	Signature/Stamp Body manufacturer

Delivery inspection

Delivery inspection	
Carried out according to factory specifications	
Mileage	
Location	
Date	
Signature	
	Signature/Stamp of authorized Mercedes-Benz Center

Maintenance work/additional maintena	nce work
Date	Service A
Mileage	Service B
Repair order no.	
Remaining time	Days
Remaining distance	Miles
Work in addition to the maintenance service	
ZA ZB Z1 Z3	
Z4 ZX J2 J4	
Oil change	
Sheet No./viscosity	
Engine	
Manual transmission	
Automatic transmission	
Transfer case	
Front axle	
Rear axle	
Service carried out in accordance with Daimler AG specifications:	
Yes/No	
Replaced:	
Air filter element	
Dust filter: heating/ventilation	
Combination filter	
Fuel filter	
Coolant	
Brake fluid	
Spark plugs	
Front axle brake pads/linings	
Rear axle brake pads/linings	
Poly-V-belt	
	Signature/stamp of authorized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the main service	tenance		
ZA ZB Z1	Z3		
Z4 ZX J2	J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in accord Daimler AG specifications:	lance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventila	ition		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lini	ngs		
Rear axle brake pads/linir	gs		
Poly-V-belt			
		Signature/stamp of authori	ized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the mainte	nance		
ZA ZB Z1	Z3		
Z4 ZX J2	J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in accorda Daimler AG specifications:	nce with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventilation	on		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lining	s		
Rear axle brake pads/linings	3		
Poly-V-belt			
		Signature/stamp of auth	orized Mercedes-Benz Center

Date			Service A
Mileage			Service B
Repair order no.			
Remaining time		Days	
Remaining distance		Miles	
Work in addition to the mair service	ntenance		
ZA ZB Z1	Z3		
Z4 ZX J2	J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in accord Daimler AG specifications:	dance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventila	ation		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lini	ngs		
Rear axle brake pads/linir	ngs		
Poly-V-belt			
		Signature/stamp of author	orized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the mainte	nance		
ZA ZB Z1	Z3		
Z4 ZX J2	J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in accorda Daimler AG specifications:	nce with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventilation	on		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lining	s		
Rear axle brake pads/linings	3		
Poly-V-belt			
		Signature/stamp of auth	orized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the main service	ntenance		
ZA ZB Z1 Z4 ZX J2	Z3 J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in according to the service Carried out in according to the service of the s	dance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventil	ation		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lin	ings		
Rear axle brake pads/lini	ngs		
Poly-V-belt			
		Signature/stamp of author	ized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the main service	tenance		
ZA ZB Z1 Z1 Z4 ZX J2	Z3 J4		
Oil change Sheet No./viscosity	J#		
Engine Manual transmission			
Automatic transmission Transfer case Front axle			
Rear axle			
Service carried out in accord Daimler AG specifications:	lance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventila Combination filter	tion		
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lini			
Rear axle brake pads/linin Poly-V-belt	gs		
i Oly-V-Delt			
		Signature/stamp of auth	orized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the main service	ntenance		
ZA ZB Z1 Z4 ZX J2	Z3 J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in according to the service Carried out in according to the service of the s	dance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventil	ation		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lin	ings		
Rear axle brake pads/lini	ngs		
Poly-V-belt			
		Signature/stamp of author	ized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the main service	tenance		
ZA ZB Z1 Z1 Z4 ZX J2	Z3 J4		
Oil change Sheet No./viscosity	J#		
Engine Manual transmission			
Automatic transmission Transfer case Front axle			
Rear axle			
Service carried out in accord Daimler AG specifications:	lance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventila Combination filter	tion		
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lini			
Rear axle brake pads/linin Poly-V-belt	gs		
i Oly-V-Delt			
		Signature/stamp of auth	orized Mercedes-Benz Center

Date			Service A
Mileage			Service B
Repair order no.			
Remaining time		Days	
Remaining distance		Miles	
Work in addition to the mair service	ntenance		
ZA ZB Z1	Z3		
Z4 ZX J2	J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in accord Daimler AG specifications:	dance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventila	ation		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lini	ngs		
Rear axle brake pads/linir	ngs		
Poly-V-belt			
		Signature/stamp of author	orized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the main service	tenance		
ZA ZB Z1 Z1 Z4 ZX J2	Z3 J4		
Oil change Sheet No./viscosity	J#		
Engine Manual transmission			
Automatic transmission Transfer case Front axle			
Rear axle			
Service carried out in accord Daimler AG specifications:	lance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventila Combination filter	tion		
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lini			
Rear axle brake pads/linin Poly-V-belt	gs		
i Oly-V-Delt			
		Signature/stamp of auth	orized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the main service	ntenance		
ZA ZB Z1 Z4 ZX J2	Z3 J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in according to the service Carried out in according to the service of the s	dance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventil	ation		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lin	ings		
Rear axle brake pads/lini	ngs		
Poly-V-belt			
		Signature/stamp of author	ized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the mainte	nance		
ZA ZB Z1	Z3		
Z4 ZX J2	J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in accorda Daimler AG specifications:	nce with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventilation	on		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lining	s		
Rear axle brake pads/linings	3		
Poly-V-belt			
		Signature/stamp of auth	orized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance	Service A Service B Days Miles
Work in addition to the maintenance service	
ZA ZB Z1 Z3	
Z4 ZX J2 J4	
Oil change	
Sheet No./viscosity	
Engine	
Manual transmission	
Automatic transmission	
Transfer case	
Front axle	
Rear axle	
Service carried out in accordance with Daimler AG specifications:	
Yes/No	
Replaced:	
Air filter element	
Dust filter: heating/ventilation	
Combination filter	
Fuel filter	
Coolant	
Brake fluid	
Spark plugs	
Front axle brake pads/linings	
Rear axle brake pads/linings	
Poly-V-belt	
	Signature/stamp of authorized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the mainte	nance		
ZA ZB Z1	Z3		
Z4 ZX J2	J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in accorda Daimler AG specifications:	nce with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventilation	on		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lining	s		
Rear axle brake pads/linings	3		
Poly-V-belt			
		Signature/stamp of auth	orized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the main service	tenance		
ZA ZB Z1	Z3		
Z4 ZX J2	J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in accord Daimler AG specifications:	lance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventila	ition		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lini	ngs		
Rear axle brake pads/linir	gs		
Poly-V-belt			
		Signature/stamp of authori	ized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the mainten service	ance		
ZA ZB Z1	Z3		
Z4 ZX J2	J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in accordand Daimler AG specifications:	e with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventilation	1		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/linings			
Rear axle brake pads/linings			
Poly-V-belt			
		Signature/stamp of auth	orized Mercedes-Benz Center

Date Mileage Repair order no. Remaining time Remaining distance		Days Miles	Service A Service B
Work in addition to the main service	ntenance		
ZA ZB Z1 Z4 ZX J2	Z3 J4		
Oil change			
Sheet No./viscosity			
Engine			
Manual transmission			
Automatic transmission			
Transfer case			
Front axle			
Rear axle			
Service carried out in according to the service Carried out in according to the service of the s	dance with		
Yes/No			
Replaced:			
Air filter element			
Dust filter: heating/ventil	ation		
Combination filter			
Fuel filter			
Coolant			
Brake fluid			
Spark plugs			
Front axle brake pads/lin	ings		
Rear axle brake pads/lini	ngs		
Poly-V-belt			
		Signature/stamp of author	ized Mercedes-Benz Center

Bodywork repair		
Date		
Mileage		
Repair order number		
Bodywork repairs carried out according to the Daimler AG guidelines:		
Yes/No		
	With parts	Without parts
Roof		
Hood		
Rear door, left/right		
Tailgate		
Front door left/right		
Sliding door left/right		
Wings left/right		
Sidewall left/right		
Sill left/right		
A-pillar left/right		
B-pillar left/right		
C-pillar left/right		
D-pillar left/right		
Wheel housing left/right		
Cab rear panel		
Underbody		
Attachment		
Longitudinal frame member left/right		
Chassis frame cross member		
	Signature /Stemp of Marcadas Banz	Contina Contar

Date		
Mileage		
Repair order number		
Bodywork repairs carried out according to the Daimler AG guidelines:		
Yes/No		
	With parts	Without parts
Roof		
Hood		
Rear door, left/right		
Tailgate		
Front door left/right		
Sliding door left/right		
Wings left/right		
Sidewall left/right		
Sill left/right		
A-pillar left/right		
B-pillar left/right		
C-pillar left/right		
D-pillar left/right		
Wheel housing left/right		
Cab rear panel		
Underbody		
Attachment		
Longitudinal frame member left/right		
Chassis frame cross member		
	Signature/Stamp of Mercedes-Benz Sei	rvice Center
	oacaro, otamp of Merocaco Bellz de	

Date		
Mileage		
Repair order number		
Bodywork repairs carried out according to the Daimler AG guidelines:		
Yes/No		
	With parts	Without parts
Roof		
Hood		
Rear door, left/right		
Tailgate		
Front door left/right		
Sliding door left/right		
Wings left/right		
Sidewall left/right		
Sill left/right		
A-pillar left/right		
B-pillar left/right		
C-pillar left/right		
D-pillar left/right		
Wheel housing left/right		
Cab rear panel		
Underbody		
Attachment		
Longitudinal frame member left/right		
Chassis frame cross member		
	Signature/Stamp of Mercedes-Benz S	ervice Center

Date		
Mileage		
Repair order number		
Bodywork repairs carried out according to the Daimler AG guidelines:		
Yes/No		
	With parts	Without parts
Roof		
Hood		
Rear door, left/right		
Tailgate		
Front door left/right		
Sliding door left/right		
Wings left/right		
Sidewall left/right		
Sill left/right		
A-pillar left/right		
B-pillar left/right		
C-pillar left/right		
D-pillar left/right		
Wheel housing left/right		
Cab rear panel		
Underbody		
Attachment		
Longitudinal frame member left/right		
Chassis frame cross member		
	Signature/Stamp of Mercedes-Benz S	ervice Center

Date		
Mileage		
Repair order number		
Bodywork repairs carried out according to the Daimler AG guidelines:		
Yes/No		
	With parts	Without parts
Roof		
Hood		
Rear door, left/right		
Tailgate		
Front door left/right		
Sliding door left/right		
Wings left/right		
Sidewall left/right		
Sill left/right		
A-pillar left/right		
B-pillar left/right		
C-pillar left/right		
D-pillar left/right		
Wheel housing left/right		
Cab rear panel		
Underbody		
Attachment		
Longitudinal frame member left/right		
Chassis frame cross member		
	Signature /Stamp of Mercedes-Renz S	aniaa Contor

Date		
Mileage		
Repair order number		
Bodywork repairs carried out according to the Daimler AG guidelines:		
Yes/No		
	With parts	Without parts
Roof		
Hood		
Rear door, left/right		
Tailgate		
Front door left/right		
Sliding door left/right		
Wings left/right		
Sidewall left/right		
Sill left/right		
A-pillar left/right		
B-pillar left/right		
C-pillar left/right		
D-pillar left/right		
Wheel housing left/right		
Cab rear panel		
Underbody		
Attachment		
Longitudinal frame member left/right		
Chassis frame cross member		
	Signature/Stamp of Mercedes-Benz Se	ervice Center

Date		
Mileage		
Repair order number		
Bodywork repairs carried out according to the Daimler AG guidelines:		
Yes/No		
	With parts	Without parts
Roof		
Hood		
Rear door, left/right		
Tailgate		
Front door left/right		
Sliding door left/right		
Wings left/right		
Sidewall left/right		
Sill left/right		
A-pillar left/right		
B-pillar left/right		
C-pillar left/right		
D-pillar left/right		
Wheel housing left/right		
Cab rear panel		
Underbody		
Attachment		
Longitudinal frame member left/right		
Chassis frame cross member		
	Signature / Stamp of Mercedes-Renz S	

Date		
Mileage		
Repair order number		
Bodywork repairs carried out according to the Daimler AG guidelines:		
Yes/No		
	With parts	Without parts
Roof		
Hood		
Rear door, left/right		
Tailgate		
Front door left/right		
Sliding door left/right		
Wings left/right		
Sidewall left/right		
Sill left/right		
A-pillar left/right		
B-pillar left/right		
C-pillar left/right		
D-pillar left/right		
Wheel housing left/right		
Cab rear panel		
Underbody		
Attachment		
Longitudinal frame member left/right		
Chassis frame cross member		
	Signature/Stamp of Mercedes-Benz S	ervice Center